



Dr Robert JAKOB

Team Leader Classifications, Terminologies and Standards,
WHO, Geneva



**World Health
Organization**

ICD-11

Is the **international standard** for recording, reporting and measuring health & health services

- Mortality Statistics
- Morbidity Statistics
- Quality and Safety
- Primary care
- Health Care Costs
- Progress towards development goals
- Clinical documentation

Why ICD-11?

- Improved usability
 - Less training
 - All clinical detail – code combinations
- Update scientific content
- Enable coding of all clinical detail
- Make eHealth ready for use in electronic environments
- Linkage to relevant other classifications and terminologies
- Full multilingual support on translation and output

WHO Family of Classifications

RELATED Classifications

*International Classification of
Primary Care (ICPC)*

*International Classification of
External Causes of Injury
(ICECI)*

*The Anatomical, Therapeutic,
Chemical (ATC) classification
with Defined Daily Doses
(DDD)*

*ISO 9999 Technical aids for
persons with disabilities –
Classification and
Terminology*

*International Classification of
Nursing Practice*

**I
nternational
C
lassification of
D
iseases**

**I
nternational
C
lassification of
F
unctioning,
D
isability & Health**

**I
nternational
C
lassification of
H
ealth
I
nterventions**

Special versions

International Classification of
Diseases for Oncology, Third
Edition (ICD-O-3)

The ICD-10 Classification of
Mental and Behavioural
Disorders


Application of the International
Classification of Diseases to
Dentistry and Stomatology, Third
Edition
(ICD-DA)

Application of the International
Classification of Diseases to
Neurology
(ICD-10-NA)

Development of ICD-11

PHASE 1 – design – broad input 2007-2015

- Project planning (from 2003)
- Launch 2007 in Tokyo
- Setting up working groups
- Setting up IT infrastructure
- 2 conferences
- Free authoring
- Review of process in 2015 for priority setting




ICD-11 Scientific clinical input

- Extensive participation by national and international scientific societies
- Over 300 clinical specialists organized in 30 topic advisory groups, , more than 30 members of TAG just from Japan, 270 Institutions, 55 countries
- Input from clinical modifications of old ICD-10 – and they were based on clinical needs
- Reviews, testing, commenting => 99 countries

Phase 2 – consolidation

2015-2018

- Formation of Joint Task Force: support to priority decisions
- End of Topic Advisory Groups
- Chapter reviews and editing to become statistical classification
- Revision conference 2016
- MS Comments 2017
- Field testing 2017
- Improve user guidance
 - Index, notes, postcoordination
 - **Reference guide** – explanations, rules, forms
- Preparation implementation package
- Governance for maintenance
- 2018 April – last meetings (JTF, Stat. Stakeholders, MbRG)



ICD-11

The international health information standard


Produced with participation by



Phase 3 - Implementation - Preparation 2018-2021

- 2018 Release of version for preparation of implementation
- 2019 January WHO Executive Board
- 2019 May World Health Assembly

ICD – Maintenance and governance - transparent



Phase 4 – Routine Maintenance 2021 and following years

- Proposals based on scientific evidence
- Proposal platform allowing discussion and decision tracking, and notification
- You can suggest new changes and adding new terms
- Development browser (orange) allows to see and track daily changes

- ▶ 01 感染症及び寄生虫症
- ▶ 02 新生物<腫瘍>
- ▶ 03 血液及び造血器の疾患
- ▶ 04 免疫系の障害
- ▶ 05 内分泌、栄養及び代謝疾患
- ▶ 06 精神及び行動の障害
- ▶ 07 睡眠・覚醒障害
- ▶ 08 神経系の疾患
- ▶ 09 眼及び付属器の疾患
- ▶ 11 循環器系の疾患
- ▶ 10 耳及び乳様突起の疾患
- ▶ 12 呼吸器系の疾患
- ▶ 13 消化器系の疾患
- ▶ 14 皮膚の疾患
- ▶ 15 筋骨格系及び結合組織の疾患
- ▶ 16 腎尿路生殖器系の疾患
- ▶ 17 性の健康関連の症状
- ▶ 18 妊娠、分娩及び産じょく<褥>
- ▶ 19 周産期及び新生児期に発生した病態
- ▶ 20 先天奇形
- ▶ 21 症状、兆候又は臨床所見で他に分類されないもの
- ▶ 22 損傷、中毒及びその他の外因の影響
- ▶ 23 傷病及び死亡の外因
- ▶ 24 健康状態に影響を及ぼす要因及び保健サービスの利用
- ▶ 25 特殊目的用コード
- ▶ 26 伝統医学状態－モジュールI（注：ICD-11ベータ版の仮称）
- ▶ V 生活機能のための付加セクション


Use and technology of ICD-11

ICD-11 User friendly

- Easier coding – coding tool, more instructions built in
- Guidance for using code combinations
- Specialty versions focus on needs for particular specialties
- Bilingual views
- Maps from and to ICD-10

Browser and Coding tool

<https://icd.who.int>



Use ICD-11

- [ICD-11 Browser](#)
for seeing the content
- [ICD-11 Coding Tool](#)
for coding with ICD-11
- [ICD-API](#)
web services to get programmatic access to ICD-11

Learn More

- [ICD Home Page](#)
- [ICD-11 Reference Guide](#)
- [About ICD-11](#)
- [ICD Video](#)

Be Involved

- Our maintenance platform provides various ways to contribute
- Comments
 - Proposals
 - Translations

The ICD-11 browser

- Navigate in ICD
- Do not use for coding
- Mechanism to add proposals and comments (orange browser only)
- Registered users are able to:
 - Submit proposals for change
 - Read comments and proposals from others
 - Access PDF or Word versions of the classification


ICD-11 Coding tool

- This tool works by searching all ICD-11 terms and is the ICD-11 index
- Has links to the browser so the user can confirm location is correct for term being searched
- Generates and dynamically updates two different outputs
 - Word list
 - Matched entities
- Synonyms, word completion... - like online search engines

Simple search






Type a diagnostic statement into the Coding Tool

e.g. *cancer of stomach*



The screenshot shows the ICD-11 Coding Tool interface. At the top, a search bar contains the text "cancer of stomach" with a red 'X' icon to its right. Below the search bar, the text "Guessing the word being typed..." is displayed. The interface is divided into two main sections: "Word list" and "Destination Entities".

Word list
sort:
gastric
stomach

Destination Entities
sort:
2B72.Z Malignant neoplasms of stomach, unspecified  
2B72.Y Other specified malignant neoplasms of stomach  
2D8Y Malignant neoplasm metastasis in other specified digestive system organs 
Malignant neoplasm metastasis in stomach

Two red arrows point from the text "e.g. cancer of stomach" to the search bar and the "Destination Entities" section.

Simple search

Type a diagnostic statement into the Coding Tool

e.g. ***Osteoarthritis of right knee***

The screenshot shows the ICD-11 Coding Tool interface. At the top, a search box contains the text "osteoarthritis right knee" with a red arrow pointing to it. Below the search box, the text "Guessing the word being typed..." is visible. The interface is divided into two main sections: "Word list" on the left and "Destination Entities" on the right. The "Word list" section has a "sort:" dropdown menu set to "Relatedness/repetition" and the word "knee" listed below it. The "Destination Entities" section has a "sort:" dropdown menu set to "Matching score" and a list of four results. The first result, "FA01.Z &XX9K Osteoarthritis of knee, unspecified [Right]", is highlighted in blue. The other three results are "FA01.0 &XX9K Primary osteoarthritis of knee [Right]", "FA01.1 &XX9K Post traumatic osteoarthritis of knee [Right]", and "FA01.2 &XX9K Other secondary osteoarthritis of knee [Right]". A red arrow points from the search box to the first result in the "Destination Entities" list.

osteoarthritis right knee

Guessing the word being typed...

Word list

sort: Relatedness/repetition

knee

Destination Entities

sort: Matching score

- FA01.Z &XX9K **Osteoarthritis of knee, unspecified [Right]**
- FA01.0 &XX9K Primary **osteoarthritis of knee [Right]**
- FA01.1 &XX9K Post traumatic **osteoarthritis of knee [Right]**
- FA01.2 &XX9K Other secondary **osteoarthritis of knee [Right]**

Simple search

Just click return and import the full match in your information system.

osteoarthritis right knee

Guessing the word being typed...

Word list
sort: Relatedness/repetition

knee

Destination Entities

- FA01.Z&XK9K **Osteoart**
- FA01.0&XK9K Primary o
- FA01.1&XK9K Post traum
- FA01.2&XK9K Other sec

selected: FA01.Z&XK9K

OK

Simple search

“Other specified”: not satisfactory

Choose the specific term, spigelian hernia, for the record

spigelian ✖

DD5Y Other specified hernias
URI: <http://id.who.int/icd/entity/1999215191>
Spigelian Hernia

Guessing the word being typed...

Word list

sort : Relatedness/repetition ⌵

spigelian



Health Record

DD5Y Spigelian Hernia

Destination Entities

sort


DD5Y Other specified hernias

- Spigelian** hernia
- Spigelian** hernia with gangrene
- Spigelian** hernia with obstruction, without gangrene
- Spigelian** hernia without obstruction or gangrene

ICD-11 is built on an ontological structure.

This technology provides the user guidance.

The normal user does not have to deal with this (like normal drivers do not touch the engine of their cars. They just drive)



In the browser, 'multiple parenting' is shown as "code elsewhere"

Other specified

Detail that is grouped in categories with the name 'other specified', can be coded using URI

URI – uniform resource identifier

Entity has a code

grouped into a category;
has URI for recording, if desired

Shoreline



1C5C.11	http://id.who.int/icd/entity/1959883044
1C5D.13	http://id.who.int/icd/entity/685093552
1C5.1Y	http://id.who.int/icd/entity/1302232870
1C5.1Z	

<http://id.who.int/icd/entity/1104303944>
<http://id.who.int/icd/entity/588527933>
<http://id.who.int/icd/entity/854762584>
<http://id.who.int/icd/entity/1543765035>
<http://id.who.int/icd/entity/682536148>
<http://id.who.int/icd/entity/307264938>
<http://id.who.int/icd/entity/961032639>
<http://id.who.int/icd/entity/1306878274>
<http://id.who.int/icd/entity/804089791>
<http://id.who.int/icd/entity/1040970454>
<http://id.who.int/icd/entity/36782335>
<http://id.who.int/icd/entity/1736084843>
<http://id.who.int/icd/entity/1530937152>
<http://id.who.int/icd/entity/608978790>
<http://id.who.int/icd/entity/1501615629>

<http://id.who.int/icd/entity/1935092859>
<http://id.who.int/icd/entity/1026551291>
<http://id.who.int/icd/entity/751399056>
<http://id.who.int/icd/entity/1563156715>
<http://id.who.int/icd/entity/1596449540>
<http://id.who.int/icd/entity/980168338>
<http://id.who.int/icd/entity/730510331>
<http://id.who.int/icd/entity/1233304838>
<http://id.who.int/icd/entity/1321303663>
<http://id.who.int/icd/entity/2003001085>
<http://id.who.int/icd/entity/304649065>
<http://id.who.int/icd/entity/63835650>
<http://id.who.int/icd/entity/487269828>
<http://id.who.int/icd/entity/1697630330>
<http://id.who.int/icd/entity/1938462328>
<http://id.who.int/icd/entity/2064398473>
<http://id.who.int/icd/entity/1793762788>
<http://id.who.int/icd/entity/262236278>
<http://id.who.int/icd/entity/2085616610>
<http://id.who.int/icd/entity/1920227791>
<http://id.who.int/icd/entity/508032285>
<http://id.who.int/icd/entity/1966578342>
<http://id.who.int/icd/entity/390042715>
<http://id.who.int/icd/entity/419706488>
<http://id.who.int/icd/entity/6555116>
<http://id.who.int/icd/entity/1664016479>
<http://id.who.int/icd/entity/840525023>
<http://id.who.int/icd/entity/1465035083>
<http://id.who.int/icd/entity/1186214944>
<http://id.who.int/icd/entity/1998718899>
<http://id.who.int/icd/entity/1600014919>
<http://id.who.int/icd/entity/1320736556>
<http://id.who.int/icd/entity/965498095>
<http://id.who.int/icd/entity/1127435854>
<http://id.who.int/icd/entity/223956768>
<http://id.who.int/icd/entity/1132542967>
<http://id.who.int/icd/entity/372424530>

URI – electronic reporting in electronic health records with more detail than with categories.

Flexible search

Type a diagnostic statement into the Coding Tool

e.g. *splenic flexure colonic liposarcoma*

The screenshot shows a search input field containing the text "splenic flexure colonic liposarcoma". Below the input field, the text "Guessing the word being typed..." is visible. To the left of the input field, the text "Word list" is displayed, followed by "Couldn't find additional matching words". To the right of the input field, the text "Destination Entities" is displayed, followed by "Couldn't find matching entities". Below these messages, there is a blue button labeled "Try flexible search" with a question mark icon.

Flexible search cont.

Try flexible search

splenic flexure colonic liposarcoma

Guessing the word being typed...

Word list
Couldn't find additional matching words

Destination Entities
Couldn't find matching entities

Try flexible search ?

splenic flexure colonic liposarcoma

Guessing the word being typed...

Destination Entities

- 2B90.Z&X1... Malignant neoplasms of colon, unspecified [Splenic flexure of colon]
- 2B90.1 Malignant neoplasm of descending colon or splenic flexure of colon, unspecified
- 2B90.Y&XA1... Other specified malignant neoplasms of colon [Splenic flexure of colon]

Extension codes – add all the detail you need

Type 1

- **Severity**
- Course of the condition
- Time in life
- Aetiology → Medicaments (WHO INN)
Chemicals
Infectious agents
- **Anatomic detail**
- Histopathology
- Biological Indicators
- Consciousness
- External Causes detail
- Injury specific detail

Type 2

- Main Condition
 - Reason for encounter
 - Reason for admission
 - Main Resource Condition
- Present on Admission
 - Developed after admission
 - Uncertain timing relative to admission
- Provisional diagnosis
- Diagnosis confirmed by...
 - Lab
 - Serology
 - Histology
 - Genetics
 - Imaging
 - ...
 - Unspecified means
- Differential Diagnosis

Postcoordination ?

6D8Z Dementia, unknown or unspecified cause

Example: Dementia

Has severity

Associated with

XS5W Mild ✘
6D86.5 Disinhibition in dementia ✘
6D86.6 Wandering in dementia ✘

Add detail to **Dementia, unknown or unspecified cause**

Associated with *(use additional code, if desired)*

6D86	Behavioural or psychological disturbances in dementia
6D86.0	Psychotic symptoms in dementia
6D86.1	Mood symptoms in dementia
6D86.2	Anxiety symptoms in dementia
6D86.3	Apathy in dementia
6D86.4	Agitation or aggression in dementia
6D86.5	Disinhibition in dementia
6D86.6	Wandering in dementia
6D86.Y	Other specified behavioural or psychological disturbances in dementia
6D86.Z	Behavioural or psychological disturbances in dementia, unspecified

Code the detail you need to correctly reflect your case

Has severity *(use additional code, if desired)*

XS5W	Mild
XS0T	Moderate
XS25	Severe

Scientific updates included in ICD-11

Just some examples

ICD-11 has five new chapters and 2 additional sections

Chapter 3	Diseases of the Blood or Blood-forming Organs
Chapter 4	Disorders of the Immune System
Chapter 7	Sleep-Wake Disorders
Chapter 17	Conditions related to Sexual Health
Chapter 26	Traditional Medicine
Section V	Functioning
Chapter X	Extension codes

Chapter 01 – Certain infectious diseases

- Minimise the impact on longitudinal statistics of major infections;
- Influenza, moved into Chapter 1
- HIV: subdivided by stages
- Prion diseases moved into Nervous system chapter
- Antimicrobial resistance is found in Ch. 21 but is to be reported in combination with the infectious disease.
- Updated coding of sepsis

Chapter 02 – Neoplasms

- Morphology has been precoordinated, and stages and more detail can be added
- The concepts of unknown and uncertain behavior have been split into two unique categories
- Added types of melanoma, and basaliomas
- Expanded detail for benign tumours
- Tumours of central nervous system and haematological tumors outside the old ‘benign – uncertain – malignant’ scheme

Chapter 04 – Diseases of the immune system

This new chapter (previously part of Chapter III in ICD-10) has the following sections:

- Immunodeficiencies
- Non-organ specific systemic disorders (NOSSAD)
 - Now includes also IgG4-related disease
- Autoinflammatory disorders
- Allergic or hypersensitivity conditions (+anaphylaxis)
- Certain diseases involving the immune system
- Diseases of thymus

Chapter 05 – Endocrine, nutritional or metabolic diseases

- Diabetes mellitus and Intermediate hyperglycaemia has been expanded to reflect current international terminology.
- Diabetes coding more relevant and flexible
- Updated concepts: Overnutrition - undernutrition
- The postcoordination (code combination) features of ICD-11 MMS are used frequently in this chapter.
 - **‘Code also’** and **‘Use additional code’** notes have been included to link the types of diabetes and the various complications to enable the addition of codes for further specificity.

Chapter 11 - Diseases of the circulatory system

- Heart valve disease no longer dominated by rheumatic fever (now: valve-vitium-etiology)
- New distinct higher level categories
 - Diseases of the myocardium, including extensive subsections on Myocarditis and Cardiomyopathy.
 - Cardiac arrhythmia, including a large new subsection on ‘Cardiac arrhythmia associated with genetic disorder’ and ‘Pacemaker or implantable cardioverter or defibrillator or lead dysfunction’
 - New subsection on Pulmonary Hypertension in the Pulmonary heart disease and diseases of pulmonary circulation section

Chapter 13 – Diseases of the digestive system

- More detailed anatomical groups - rostral-caudal order
- More recent clinical detail, e.g.
 - Polyposis syndrome
 - Diversion colitis
 - Eosinophilic gastritis
- Important digestive diseases have been allocated their own category (e.g. gastro-oesophageal reflux disease)

Chapter 16 – Diseases of the genitourinary system

- To reflect the current scientific understanding for certain genitourinary conditions, additional detail has been included for the following areas:
 - Amenorrhea
 - Ovarian dysfunction
 - Female pelvic pain
 - Endometriosis
 - Adenomyosis
 - Female infertility
 - Male infertility
 - Early pregnancy loss
 - Pregnancy outcomes
 - The Kidney failure section of the classification has been revised (KDIGO)

Chapter 17 – Conditions related to sexual health

- New chapter in ICD-11 divided into major sections for:
 - Sexual dysfunctions
 - Sexual pain disorders
 - Gender incongruence
- The general hierarchy consists of:
 - 1st level broad category of condition
 - 2nd level - specific type of condition
 - 3rd level - - specific disease/disorder

Chapter 18 – Pregnancy, childbirth or the puerperium

- Additional specifications have been included for “Early pregnancy loss”.
- A new section Obstetric haemorrhage has been added to enable all types of haemorrhage to be grouped together

Chapter 20 – Developmental anomalies

Chapter 20 has undergone a major restructure with it now having four major sections

- Structural developmental anomalies primarily affecting one body system
- Multiple developmental anomalies or syndromes
- Chromosomal anomalies, excluding gene mutations
- Conditions with disorders of intellectual development as a relevant clinical feature

Chapter 23 – External causes of morbidity or mortality

- Removed detail (not usually reported)
 - Can be added with code combination with extension codes
- Reorganized traffic accidents
- Other sections include Exposure to extreme forces, Maltreatment, Legal intervention, Armed conflict and
- Causes of healthcare related harm
 - Completely overhauled for modern reporting of harm or near failure

Patient safety

"Cause" of harm

- Substances
- Procedures
- Devices
- Other Aspects of Care

"Mode or Mechanism" of harm

- e.g. overdose/underdose for substances
- e.g. accidental perforation for procedures
- e.g. dislodgement/malfunction for devices
- e.g. mismatched blood used in transfusion for other aspects of care

A cluster of codes to denote the
"Injury or Harm"
that resulted from the event

A clinical example

- A patient presents with an intracranial hemorrhage arising while on warfarin anticoagulation. INR found to be 7.0 and careful history reveals patient to have accidentally taken double doses over several days.
- Clustered Coding:

A clinical example

- A patient presents with an intracranial hemorrhage arising while on warfarin anticoagulation. INR found to be 7.0 and careful history reveals patient to have accidentally taken double doses over several days.
- Clustered Coding:
 - PH80 & XE9AC Code for the cause of harm (exposure to drug in therapeutic intent & warfarin)
 - PH92.0 Code for mode/mechanism (overdose)
 - 8B00.Z Code for actual harm (intracranial hemorrhage)

Chapters - changes

- 06 – Mental, behavioural or neurodevelopmental disorders
 - New structures, Dementia
- 08 – Diseases of the nervous system
 - More clinical restructuring,
 - Received prion disease
 - Received cerebrovascular diseases
- 09 – Diseases of the visual system
 - More clinical detail
- 14 – Skin – rewritten (little changes had occurred in past 40 years)
- 22 – Injury, poisoning or certain other consequences of external causes
 - More types of injury
 - Clarified differences between acute and more permanent postprocedural conditions

ICD-11

- New content – up-to-date
- More clinical detail
- Modern technology – electronic data recording
- Participation – during design, now, and in the future



ICD 11 for you – by you – for best possible health
Thank you